

Contents of volumes LXXI-LXXX

| | Volume | Pages* |
|--|--------|---------|
| Stanisław Mazur (1 January 1905–5 November 1981) . . . | 71 | 223–224 |
| Mathematical publications of Stanisław Mazur | 71 | 225–226 |
| Adams, B. | | |
| On weighted norm inequalities for the Riesz transforms of functions with vanishing moments | 78 | 107–153 |
| Adams, D. R. | | |
| (and J. L. Lewis) On Morrey–Besov inequalities | 74 | 169–182 |
| Aldous, D. J. | | |
| (and D. H. Fremlin) Colacunary sequences in L -spaces . . . | 71 | 297–304 |
| Amar, E. | | |
| Sur un problème de W. Rudin concernant les fonctions holomorphes et bornées | 74 | 49–56 |
| Andersen, K. F. | | |
| (and R. A. Kerman) Weighted norm inequalities for generalized Hankel conjugate transformations | 71 | 15–26 |
| (and B. Muckenhoupt) Weighted weak type Hardy inequalities with applications to Hilbert transforms and maximal functions | 72 | 9–26 |
| Antosik, P. | | |
| (and C. Swartz) A theorem on matrices and its applications in functional analysis | 77 | 197–205 |
| Argyros, S. | | |
| (and J. Bourgain and T. Zachariades) A result on the isomorphic embeddability of $l^1(\Gamma)$ | 78 | 77–91 |

| | Volume | Pages |
|--|--------|---------|
| Arocena, R. | | |
| A refinement of the Helson-Szegö theorem and the determination of the extremal measures | 71 | 203-221 |
| Ash, J. M. | | |
| (and K. A. Ross) Decreasing rearrangement and $L^{p,q}$ of the Bohr group | 78 | 93-103 |
| Astala, K. | | |
| On Peano's theorem in locally convex spaces | 73 | 213-223 |
| Atencia, E. | | |
| (and A. de la Torre) A dominated ergodic estimate for L_p spaces with weights | 74 | 35-47 |
| (and F. J. Martín-Reyes) Weak type inequalities for the maximal ergodic function and the maximal ergodic Hilbert transform in weighted spaces | 78 | 231-244 |
| Aupetit, B. | | |
| (et A. Zraïbi) Distribution des valeurs des fonctions analytiques multiformes | 79 | 217-226 |
| Banaszczyk, W. | | |
| On the existence of unitary representations of commutative nuclear Lie groups | 76 | 175-181 |
| (and J. Grabowski) Connected subgroups of nuclear spaces | 78 | 161-163 |
| Closed subgroups of nuclear spaces are weakly closed . . | 80 | 119-128 |
| Békollé, D. | | |
| Inégalités à poids pour le projecteur de Bergman dans la boule unité de C^n | 71 | 305-323 |
| Bellenot, S. F. | | |
| Banach S -algebras and conditional basic sequences in non-Montel Fréchet spaces | 79 | 17-33 |
| Belley, J.-M. | | |
| (and P. Morales) A generalization of Wiener's criteria for the continuity of a Borel measure | 72 | 27-36 |
| (and P. Morales) Corrigendum and addendum to "A generalization of Wiener's criteria for the continuity of a Borel measure", <i>Studia Math.</i> 72 (1982), 27-36 . . . | 80 | 43-46 |

| | Volume | Pages |
|--|--------|---------|
| Benndorf, A. | | |
| On the relation of the bounded approximation property and a finite dimensional decomposition in nuclear Fréchet spaces | 75 | 103-119 |
| Berg, L. | | |
| Commutative differential algebras with an algebraic element | 77 | 115-120 |
| Bordin, B. | | |
| H^p estimates for weakly strongly singular integral operators on spaces of homogeneous type | 75 | 217-234 |
| Borzyszkowski, A. | | |
| Unconditional decompositions and local unconditional structures in some subspaces of L_p , $1 \leq p < 2$ | 76 | 267-278 |
| Bouloussa, S. H. | | |
| Les B_0 -algèbres à idéaux premiers totalement ordonnés par inclusion sont de Fréchet | 79 | 1-5 |
| Bourgain, J. | | |
| A remark on finite-dimensional P_λ -spaces | 72 | 285-289 |
| Translation invariant complemented subspaces of L^p . . | 75 | 95-101 |
| H^∞ is a Grothendieck space | 75 | 193-216 |
| The Dunford-Pettis property for the ball-algebras, the polydisc-algebras and the Sobolev spaces | 77 | 245-254 |
| (and S. Argyros and T. Zachariades) A result on the isomorphic embeddability of $l^1(\Gamma)$ | 78 | 77-91 |
| Buntinas, M. | | |
| Approximation by Abel means and Tauberian Theorems in sequence spaces | 74 | 123-136 |
| Burbea, J. | | |
| The Bergman and Schiffer transforms on weighted norm spaces | 76 | 153-161 |
| Burzyk, J. | | |
| On convergence in the Mikusiński operational calculus . . | 75 | 313-333 |
| On type II convergence in the Mikusiński operational calculus | 77 | 17-27 |
| Calderón, A. P. | | |
| (and O. N. Capri) On the convergence in L^1 of singular integrals | 78 | 321-327 |

| | Volume | Pages |
|--|--------|---------|
| Capri, O. N. | | |
| (and A. González Domínguez) On operator-valued analytic functions with positive real part whose logarithm belongs to a C_p class | 77 | 183-196 |
| (and N. A. Fava) Strong differentiability with respect to product measures | 78 | 173-178 |
| (and A. P. Calderón) On the convergence in L^1 of singular integrals | 78 | 321-327 |
| Carl, B. | | |
| Entropy numbers of r -nuclear operators between L_p spaces | 77 | 155-162 |
| Chang, S.-Y. A. | | |
| (and Z. Ciesielski) Spline characterizations of H^1 | 75 | 183-192 |
| Chang, Yang-chun | | |
| (and P. A. Tomas) Multipliers along curves | 79 | 275-288 |
| (and P. A. Tomas) Invertibility of some second order differential operators | 79 | 289-296 |
| Chanturia, Z. A. | | |
| On unconditional polynomial bases of the space L_p | 71 | 163-168 |
| Chō, M. | | |
| (and M. Takaguchi) Some classes of commuting n -tuples of operators | 80 | 245-259 |
| Chojnacki, W. | | |
| An analogue of the argument theorem of Bohr and its application | 79 | 51-59 |
| Christ, M. | | |
| Weighted norm inequalities and Schur's lemma. | 78 | 309-319 |
| Ciesielski, Z. | | |
| (and T. Figiel) Spline approximation and Besov spaces on compact manifolds | 75 | 13-36 |
| (and S.-Y. A. Chang) Spline characterizations of H^1 | 75 | 183-192 |
| (and T. Figiel) Spline bases in classical function spaces on compact C^∞ manifolds, Part I | 76 | 1-58 |
| (and T. Figiel) Spline bases in classical function spaces on compact C^∞ manifolds, Part II | 76 | 95-136 |
| Cleaver, C. | | |
| (and C. Giel) Packing spheres in C_p spaces. | 72 | 1-8 |

| | Volume | Pages |
|--|--------|---------|
| Cohen, J. | | |
| (and J. A. Gosselin) On multilinear singular integrals on R^n | 72 | 199-223 |
| Collins, H. S. | | |
| (and W. Ruess) Duals of spaces of compact operators. | 74 | 213-245 |
| Cwikel, M. | | |
| (and C. Fefferman) The canonical seminorm on weak L^1 (and S. Janson) Interpolation of analytic families of operators. | 78 | 275-278 |
| | 79 | 61-71 |
| Czichowski, G. | | |
| Power series in locally convex algebras | 76 | 87-94 |
| Davis, B. | | |
| On the integrability of the ergodic maximal function | 73 | 153-167 |
| Deng, D. G. | | |
| On a generalized Carleson inequality | 78 | 245-251 |
| Dickmeis, W. | | |
| (and R. J. Nessel) Condensation principles with rates | 75 | 55-68 |
| Dierolf, P. | | |
| Some locally convex spaces of regular distributions | 77 | 393-412 |
| Dineen, S. | | |
| Analytic functionals on fully nuclear spaces | 73 | 11-32 |
| Dolecki, S. | | |
| (and G. H. Greco) Topologically maximal pretopologies | 77 | 265-281 |
| Drewnowski, L. | | |
| Quasi-complements in F -spaces. | 77 | 373-391 |
| Dubinsky, E. | | |
| Nuclear Fréchet spaces without the bounded approximation property. | 71 | 85-105 |
| Eberlein, W. F. | | |
| On the Wiener-Eberlein theorem | 80 | 41-42 |
| Emerson, W. D. | | |
| On the spectra of holomorphic function algebras | 73 | 177-200 |

| | Volume | Pages |
|--|--------|---------|
| Fava, N. A. | | |
| Mapping properties of maximal operators. | 78 | 1–6 |
| (and O. N. Capri) Strong differentiability with respect to product measures | 78 | 173–178 |
| Fefferman, C. | | |
| (and M. Cwikel) The canonical seminorm on weak L^1 | 78 | 275–278 |
| Feldman, G. M. | | |
| On Urbanik's characterization of Gaussian measures on locally compact abelian groups | 73 | 81–86 |
| Fenyő, I. | | |
| Solution générale d'une équation fonctionnelle dans le domaine des fonctions analytiques | 77 | 239–243 |
| Ferens, C. | | |
| On the range of purely atomic probability measures. | 77 | 261–263 |
| Fickett, J. W. | | |
| Approximate isometries on bounded sets with an application to measure theory | 72 | 37–46 |
| Figiel, T. | | |
| (and Z. Ciesielski) Spline approximation and Besov spaces on compact manifolds. | 75 | 13–36 |
| (and Z. Ciesielski) Spline bases in classical function spaces on compact C^∞ manifolds, Part I | 76 | 1–58 |
| (and Z. Ciesielski) Spline bases in classical function spaces on compact C^∞ manifolds, Part II | 76 | 95–136 |
| (and T. Iwaniec and A. Pełczyński) Computing norms and critical exponents of some operators in L^p -spaces | 79 | 227–274 |
| Fremlin, D. H. | | |
| (and D. J. Aldous) Colacunary sequences in L -spaces | 71 | 297–304 |
| Fryszkowski, A. | | |
| Continuous selections for a class of non-convex multivalued maps | 76 | 163–174 |
| The generalization of Cellina's Fixed Point Theorem | 78 | 213–215 |
| Fuchssteiner, B. | | |
| Algebraic foundation of some distribution algebras | 77 | 439–453 |

| | Volume | Pages |
|---|--------|---------|
| Gatesoupe, M. | | |
| Problèmes de complémentation de sous-algèbre dans l'algèbre des séries de Fourier en deux variables absolument convergentes | 72 | 161–171 |
| Gatto, A. E. | | |
| (and C. E. Gutiérrez) On weighted norm inequalities for the maximal function | 76 | 59–62 |
| Giel, C. | | |
| (and C. Cleaver) Packing spheres in C_p spaces | 72 | 1–8 |
| Głowacki, P. | | |
| A calculus of symbols and convolution semigroups on the Heisenberg group | 72 | 291–321 |
| Stable semi-groups of measures on the Heisenberg group | 79 | 105–138 |
| G.-M., J., see Mikusiński, J. | | |
| Goldstein, S. | | |
| Orthogonal scalar products on von Neumann algebras. | 80 | 1–15 |
| Gómez, M. E. | | |
| Note on the strong maximal operator | 76 | 225–248 |
| A counterexample for the strong maximal operator | 78 | 199–211 |
| González Domínguez, A. | | |
| (and O. N. Capri) On operator-valued analytic functions with positive real part whose logarithm belongs to a C_p class | 77 | 183–196 |
| Goodman, G. S. | | |
| Zygmund's Lemma and Riemann integrability | 77 | 519–522 |
| Gosselin, J. A. | | |
| (and J. Cohen) On multilinear singular integrals on R^n | 72 | 199–223 |
| Gossez, J.-P. | | |
| Some approximation properties in Orlicz–Sobolev spaces | 74 | 17–24 |
| Grabowski, J. | | |
| (and W. Banaszczyk) Connected subgroups of nuclear spaces | 78 | 161–163 |
| Greco, G. H. | | |
| (and S. Dolecki) Topologically maximal pretopologies. | 77 | 265–281 |

| | Volume | Pages |
|---|--------|---------|
| Gustavsson, J. | | |
| On interpolation of weighted L^p -spaces and Ovchinnikov's theorem | 72 | 237-251 |
| (and J. Peetre) Properties of the L function | 74 | 105-121 |
| Gutiérrez, C. E. | | |
| On singular integrals and Orlicz spaces | 73 | 51-61 |
| (and A. E. Gatto) On weighted norm inequalities for the maximal function | 76 | 59-62 |
| Hakopian, H. | | |
| Multivariate spline functions, B -spline bases and polynomial interpolations II | 79 | 91-102 |
| Multivariate interpolation II of Lagrange and Hermite type | 80 | 77-88 |
| Heinrich, S. | | |
| The isomorphic problem of envelopes | 73 | 41-49 |
| (and P. Mankiewicz) Applications of ultrapowers to the uniform and Lipschitz classification of Banach spaces | 73 | 225-251 |
| Hofbauer, F. | | |
| Monotonic mod one transformations | 80 | 17-40 |
| Holmström, L. | | |
| Superspaces of (s) with basis | 75 | 139-152 |
| Holub, J. R. | | |
| On bases and the shift operator | 71 | 191-202 |
| Hoover, T. | | |
| (and A. Lambert and J. Quinn) The Markov process determined by a weighted composition operator | 72 | 225-235 |
| Host, B. | | |
| (and F. Parreau) Spectres joints et prolongement des caractères | 73 | 63-74 |
| Hulanicki, A. | | |
| A functional calculus for Rockland operators on nilpotent Lie groups | 78 | 253-266 |
| (and J. W. Jenkins) Nilpotent Lie groups and summability of eigenfunction expansions of Schrödinger operators | 80 | 235-244 |
| Itano, M. | | |
| On the canonical extensions for distributions in the space $B_{p,\mu}$ | 77 | 321-332 |

| | Volume | Pages |
|---|--------|---------|
| Iwaniec, T. | | |
| Projections onto gradient fields and L^p -estimates for degenerated elliptic operators | 75 | 293-312 |
| (and T. Figiel and A. Pełczyński) Computing norms and critical exponents of some operators in L^p -spaces | 79 | 227-274 |
| Iwanik, A. | | |
| Unique ergodicity of irreducible Markov operators on $C(X)$ | 77 | 81-86 |
| Jakimovski, A. | | |
| (and D. C. Russell) Representation of continuous linear functionals on a subspace of a countable Cartesian product of Banach spaces | 72 | 273-284 |
| Janas, J. | | |
| On a theorem of Lebow and Mlak for several commuting operators | 76 | 249-253 |
| Janson, S. | | |
| On the interpolation of sublinear operators | 75 | 51-53 |
| (and M. Cwikel) Interpolation of analytic families of operators | 79 | 61-71 |
| Jarosz, K. | | |
| A generalization of the Banach-Stone theorem | 73 | 33-39 |
| Jawerth, B. | | |
| (and A. Torchinsky) The strong maximal function with respect to measures | 80 | 261-285 |
| Jenkins, J. W. | | |
| (and A. Hulanicki) Nilpotent Lie groups and summability of eigenfunction expansions of Schrödinger operators | 80 | 235-244 |
| Johnson, D. L. | | |
| (and C. D. Lahr) Weak approximate identities and multipliers | 74 | 1-15 |
| Jonsson, A. | | |
| (and P. Sjögren and H. Wallin) Hardy and Lipschitz spaces on subsets of \mathbf{R}^n | 80 | 141-166 |
| Jurkat, W. B. | | |
| (and G. Sampson) On weak restricted estimates and endpoints problems for convolutions with oscillating kernels (II) | 74 | 273-282 |

| | Volume | Pages |
|---|--------|---------|
| Kahane, J.-P. | | |
| Une preuve rapide du théorème de Beurling et Helson sur les endomorphismes de l'algèbre $l^1(Z)$ | 77 | 437-438 |
| Kamińska, A. | | |
| The criteria for local uniform rotundity of Orlicz spaces | 79 | 201-215 |
| Kamiński, A. | | |
| Convolution, product and Fourier transform of distributions (and S. Pilipović) On some spaces of distributions. | 74 | 83-96 |
| Remarks on $K\{M_p\}$ -spaces | 77 | 489-498 |
| On the Rényi theory of conditional probabilities | 79 | 151-191 |
| Kashirin, V. V. | | |
| Isomorphic embeddings of some generalized power series spaces | 71 | 169-178 |
| Kazarian, K. S. | | |
| On bases and unconditional bases in the spaces $L^p(d\mu)$, $1 \leq p < \infty$ | 71 | 227-249 |
| Keller, K. | | |
| Some convergence properties of convolutions | 77 | 87-94 |
| Kerman, R. A. | | |
| (and K. F. Andersen) Weighted norm inequalities for generalized Hankel conjugate transformations | 71 | 15-26 |
| (and A. Torchinsky) Integral inequalities with weights for the Hardy maximal function | 71 | 277-284 |
| An integral extrapolation theorem with applications | 76 | 183-195 |
| Kierat, W. | | |
| Some Fourier transform inversion theorem | 77 | 485-488 |
| Klein, C. | | |
| (and S. Rolewicz) On Riemann integration of functions with values in topological linear spaces | 80 | 109-118 |
| [Kondakov, V. P.] Кондаков, В. П. | | |
| О строении безусловных базисов некоторых пространств Кёте | 76 | 137-151 |
| König, H. | | |
| (and D. R. Lewis and P.-K. Lin) Finite dimensional projection constants | 75 | 341-358 |

| | Volume | Pages |
|---|--------|---------|
| On some basic relations in the abstract Hardy algebra theory | 77 | 29-57 |
| Koutník, V. | | |
| Completeness of sequential convergence groups | 77 | 455-464 |
| Krantz, S. G. | | |
| Fractional integration on Hardy spaces | 73 | 87-94 |
| Kühn, T. | | |
| Entropy numbers of r -nuclear operators in Banach spaces of type q | 80 | 53-61 |
| Kutzarova, D. N. | | |
| (and S. L. Troyanski) Reflexive Banach spaces without equivalent norms which are uniformly convex or uniformly differentiable in every direction. | 72 | 91-95 |
| Kwiatkowski, J. | | |
| Isomorphism of regular Morse dynamical systems. | 72 | 59-89 |
| Labuda, I. | | |
| Completeness type properties of locally solid Riesz spaces. | 77 | 349-372 |
| Lahr, C. D. | | |
| (and D. L. Johnson) Weak approximate identities and multipliers | 74 | 1-15 |
| Lambert, A. | | |
| (and T. Hoover and J. Quinn) The Markov process determined by a weighted composition operator | 72 | 225-235 |
| Leader, S. | | |
| Equivalent Cauchy sequences and contractive fixed points in metric spaces | 76 | 63-67 |
| Legiša, P. | | |
| W^* -algebras on Banach spaces. | 72 | 97-107 |
| Lewis, J. L. | | |
| (and D. R. Adams) On Morrey-Besov inequalities | 74 | 169-182 |
| (and H. König and P.-K. Lin) Finite dimensional projection constants. | 75 | 341-358 |
| Leżański, T. | | |
| Sur les équations du type: $\Psi(x, h) = 0$ (II) | 71 | 37-68 |

| | Volume | Pages |
|---|--------|---------|
| Ligocka, E. | | |
| The Hölder continuity of the Bergman projection and proper holomorphic mappings | 80 | 89-107 |
| Lin, P.-K. | | |
| (and H. König and D. R. Lewis) Finite dimensional projection constants | 75 | 341-358 |
| Lipecki, Z. | | |
| On some dense subspaces of topological linear spaces | 77 | 413-421 |
| Löfström, J. | | |
| Applications of a general comparison theorem for convolution integrals | 76 | 197-223 |
| López Melero, B. | | |
| A negative result in differentiation theory | 72 | 173-182 |
| Maligranda, L. | | |
| A generalization of the Shimogaki theorem | 71 | 69-83 |
| Interpolation of locally Hölder operators | 78 | 289-296 |
| Mankiewicz, P. | | |
| (and S. Heinrich) Applications of ultrapowers to the uniform and Lipschitz classification of Banach spaces | 73 | 225-251 |
| Finite-dimensional Banach spaces with symmetry constant of order \sqrt{n} | 79 | 193-200 |
| Marchi, E. | | |
| (and F. Zo) A generalization of the Yosida-Kakutani ergodic theorem | 71 | 107-111 |
| Marcinkowska, H. | | |
| A remark on approximate solving of a class of initial-boundary value problems | 77 | 283-287 |
| Martin-Reyes, F. J. | | |
| (and E. Atencia) Weak type inequalities for the maximal ergodic function and the maximal ergodic Hilbert transform in weighted spaces | 78 | 231-244 |
| Mateljević, M. | | |
| (and M. Pavlović) L^p -behaviour of the integral means of analytic functions | 77 | 219-237 |

| | Volume | Pages |
|--|--------|---------|
| Meise, R. | | |
| (and D. Vogt) Structure of spaces of holomorphic functions on infinite dimensional polydiscs | 75 | 235-252 |
| Méla, J. F. | | |
| Mesures ε -idempotentes de norme bornée | 72 | 131-149 |
| [Mikusiński, J.] G.-M., J. | | |
| Hypernumbers. Part I. Algebra | 77 | 3-16 |
| Misiurewicz, M. | | |
| (and D. Ramachandran) Hopf's theorem on invariant measures for a group of transformations | 74 | 183-189 |
| Morales, P. | | |
| (and J.-M. Belley) A generalization of Wiener's criteria for the continuity of a Borel measure | 72 | 27-36 |
| (and J.-M. Belley) Corrigendum and addendum to "A generalization of Wiener's criteria for the continuity of a Borel measure", <i>Studia Math.</i> 72 (1982), 27-36 | 80 | 43-46 |
| Moulin Ollagnier, J. | | |
| (and D. Pinchon) The variational principle | 72 | 151-159 |
| Muckenhoupt, B. | | |
| (and K. F. Andersen) Weighted weak type Hardy inequalities with applications to Hilbert transforms and maximal functions | 72 | 9-26 |
| Mueller, C. | | |
| A characterization of BMO and BMO_q | 72 | 47-57 |
| Müller, V. | | |
| On domination and extensions of Banach algebras | 73 | 75-80 |
| Non-removable ideals in commutative Banach algebras | 74 | 97-104 |
| Removability of ideals in commutative Banach algebras | 78 | 297-307 |
| Inverse elements in extensions of Banach algebras | 80 | 191-195 |
| Murphy, G. J. | | |
| (and H. Radjavi) Associative and Lie subalgebras of finite codimension | 76 | 81-85 |
| Musielak, J. | | |
| On sequentially M -integrable distributions | 77 | 255-260 |

| | Volume | Pages |
|--|--------|---------|
| Nakazi, T. | | |
| Two problems in prediction theory | 78 | 7-14 |
| Neri, U. | | |
| On functions with bounded mixed variance | 75 | 81-93 |
| Nessel, R. J. | | |
| (and W. Dickmeis) Condensation principles with rates | 75 | 55-68 |
| Nguyen Van Khue | | |
| On the cohomology of sheaves $\mathcal{S} \in L$ | 72 | 183-197 |
| On meromorphic functions with values in locally convex spaces | 73 | 201-211 |
| On the extension of continuous linear maps in function spaces and the splitness of Dolbeault complexes of holomorphic Banach bundles. | 75 | 69-80 |
| Cohomology groups of sheaves $\mathcal{S} \in L$ and splitness of Dolbeault complexes of sheaves $J_{V,\xi}$ | 75 | 121-137 |
| Niechwiej, J. | | |
| On commutative algebras of unbounded operators | 78 | 217-230 |
| Nielsen, N. J. | | |
| The ideal property of tensor products of Banach lattices with applications to the local structure of spaces of absolutely summing operators. | 74 | 247-272 |
| Niestegge, G. | | |
| A note on criteria of Le Page and Hirschfeld-Żelazko for the commutativity of Banach algebras. | 79 | 87-90 |
| Okamoto, S. | | |
| A remark on Yosida's complement to Mikusiński's operational calculus | 77 | 99-101 |
| Orlicz, W. | | |
| (and S. Szufła) On the structure of L_ϕ -solution sets of integral equations in Banach spaces | 77 | 465-477 |
| Parreau, F. | | |
| (and B. Host) Spectres joints et prolongement des caractères | 73 | 63-74 |
| Partington, J. R. | | |
| Almost sure summability of subsequences in Banach spaces | 71 | 27-35 |

| | Volume | Pages |
|---|--------|---------|
| Pavlović, M. | | |
| (and M. Mateljević) L^p -behaviour of the integral means of analytic functions | 77 | 219-237 |
| Peetre, J. | | |
| Locally analytically pseudo-convex topological vector spaces (and J. Gustavsson) Properties of the L function | 73 | 253-262 |
| | 74 | 105-121 |
| Pelczyński, A. | | |
| (and T. Figiel and T. Iwaniec) Computing norms and critical exponents of some operators in L^p -spaces | 79 | 227-274 |
| Pilipović, S. | | |
| (and A. Kamiński) On some spaces of distributions | 77 | 489-498 |
| Pinchon, D. | | |
| (and J. Moulin Ollagnier) The variational principle. | 72 | 151-159 |
| Poguntke, D. | | |
| Discrete nilpotent groups have a T_1 primitive ideal space. | 71 | 271-275 |
| Pombo, D. P., Jr. | | |
| On polynomial classification of locally convex spaces | 78 | 39-57 |
| Prestini, E. | | |
| Operators of Bochner-Riesz type for the helix | 79 | 7-16 |
| Przeworska-Rolewicz, D. | | |
| Non-Leibniz algebras | 77 | 69-79 |
| Putinar, M. | | |
| Functional calculus and the Gelfand transformation | 79 | 83-86 |
| Pytlik, T. | | |
| Symbolic calculus on weighted group algebras | 73 | 169-176 |
| Radial convolutors on free groups | 78 | 179-183 |
| A construction of convolution operators on free groups | 79 | 73-76 |
| Quinn, J. | | |
| (and T. Hoover and A. Lambert) The Markov process determined by a weighted composition operator | 72 | 225-235 |
| Radjavi, H. | | |
| (and G. J. Murphy) Associative and Lie subalgebras of finite codimension | 76 | 81-85 |

| | Volume | Pages |
|--|----------|--------------------|
| Ramabhadrā Sarma, I. (and R. Rao Chivukula) On tensor products of continuous functions | 75 | 335-339 |
| Ramachandran, D. (and M. Misiurewicz) Hopf's theorem on invariant measures for a group of transformations | 74 | 183-189 |
| Rao Chivukula, R. (and I. Ramabhadrā Sarma) On tensor products of continuous functions | 75 | 335-339 |
| Reiffen, H.-J. (and H. W. Trapp) Ein Beitrag zur Lipschitz-Saturation im unendlichdimensionalen Fall | 71 | 127-144 |
| Reynov, O. I. On a class of Hausdorff compacts and GSG Banach spaces | 71 | 113-126 |
| Rolewicz, S. Sufficient condition for Pareto optimization in Banach spaces (and C. Klein) On Riemann integration of functions with values in topological linear spaces | 77 80 | 111-114 109-118 |
| Rosiński, J. Random integrals of Banach space valued functions . . . | 78 | 15-38 |
| Ross, K. A. (and J. M. Ash) Decreasing rearrangements and $L^{p,q}$ of the Bohr group | 78 | 93-103 |
| Ruess, W. (and H. S. Collins) Duals of spaces of compact operators | 74 | 213-245 |
| Rusinek, J. Analytic vectors and generation of one-parameter groups | 79 | 77-82 |
| Russell, D. C. (and A. Jakimovski) Representation of continuous linear functionals on a subspace of a countable Cartesian product of Banach spaces | 72 | 273-284 |
| Rychlik, M. Bounded variation and invariant measures | 76 | 69-80 |

| | Volume | Pages |
|--|----------|--------------------|
| Saint Raymond, J. Le volume des idéaux d'opérateurs classiques | 80 | 63-75 |
| Sampson, G. (and W. B. Jurkat) On weak restricted estimates and endpoints problems for convolutions with oscillating kernels (II). | 74 | 273-282 |
| Sato, R. A reverse maximal ergodic theorem On the ratio maximal functions for an ergodic flow . . . | 75 80 | 153-160 129-139 |
| Sawyer, E. T. A characterization of a two-weight norm inequality for maximal operators Norm inequalities relating singular integrals and the maximal function | 75 75 | 1-11 253-263 |
| Schinzel, A. Hasse's principle for systems of ternary quadratic forms and for one biquadratic form | 77 | 103-109 |
| Schmidt, F. Positive operatorwertige Masse und banachraumwertige stationäre Prozesse auf LCA-Gruppen | 71 | 145-162 |
| Schütt, C. On the Banach-Mazur distance of finite-dimensional symmetric Banach spaces and the hypergeometric distribution On the positive projection constant | 72 78 | 109-129 185-198 |
| Sharma, A. (and Z. Ziegler) Walsh equiconvergence for best l_2 -approximates | 77 | 523-528 |
| Shih, M.-H. (and K.-K. Tan) A further generalization of Ky Fan's maximal inequality and its applications | 78 | 279-287 |
| Sjödín, T. On L^p -differentiability and difference properties of functions | 74 | 153-168 |

| | Volume | Pages |
|--|--------|---------|
| Sjögren, P. | | |
| On the convergence of bilinear and quadratic forms in independent random variables | 71 | 285-296 |
| (and A. Jonsson and H. Wallin) Hardy and Lipschitz spaces on subsets of R^n | 80 | 141-166 |
| Skórnik, K. | | |
| Sobolev's and local derivatives | 77 | 509-517 |
| Ślodkowski, Z. | | |
| A criterion for subharmonicity of a function of the spectrum | 75 | 37-49 |
| Snyder, A. K. | | |
| Consistency theory in semiconservative spaces | 71 | 1-13 |
| Stettner, Ł. | | |
| On impulsive control with long run average cost criterion | 76 | 279-298 |
| Stochel, J. | | |
| Individual boundedness condition for positive definite sesquilinear form valued kernels | 74 | 293-302 |
| Strichartz, R. S. | | |
| Singular integrals supported on submanifolds | 74 | 137-151 |
| Struble, R. A. | | |
| Series expansions for Fourier transforms and Lebesgue functions | 77 | 479-484 |
| Subramaniam, P. | | |
| (and A. H. Zemanian) A theory for ungrounded electrical grids and its application to the geophysical exploration of layered strata | 77 | 163-181 |
| Swartz, C. | | |
| (and P. Antosik) A theorem on matrices and its applications in functional analysis | 77 | 197-205 |
| Szuffla, S. | | |
| (and W. Orlicz) On the structure of L_q -solution sets of integral equations in Banach spaces | 77 | 465-477 |
| Taberski, R. | | |
| Trigonometrical approximation in the norms and seminorms | 80 | 197-217 |

| | Volume | Pages |
|---|--------|---------|
| Takaguchi, M. | | |
| (and M. Chō) Some classes of commuting n -tuples of operators | 80 | 245-259 |
| Talagrand, M. | | |
| Filtres: mesurabilité, rapidité, propriété de Baire forte | 74 | 283-291 |
| Un espace de Banach réticulé qui a presque la propriété de Radon-Nikodým | 76 | 255-266 |
| Propriété de Nikodým et propriété de Grothendieck | 78 | 165-171 |
| Tan, K.-K. | | |
| (and M.-H. Shih) A further generalization of Ky Fan's maximal inequality and its applications | 78 | 279-287 |
| Tidten, M. | | |
| An example of a continuum of pairwise non-isomorphic spaces of C^∞ -functions | 78 | 267-274 |
| Tietz, H. | | |
| Über Umkehrbedingungen bei gewöhnlicher und absoluter Limitierung | 80 | 47-52 |
| Tomas, P. A. | | |
| (and Yang-chun Chang) Multipliers along curves | 79 | 275-288 |
| (and Yang-chun Chang) Invertibility of some second order differential operators | 79 | 289-296 |
| Torchinsky, A. | | |
| (and R. A. Kerman) Integral inequalities with weights for the Hardy maximal function | 71 | 277-284 |
| (and B. Jawerth) The strong maximal function with respect to measures | 80 | 261-285 |
| de la Torre, A. | | |
| (and E. Atencia) A dominated ergodic estimate for L_p spaces with weights | 74 | 35-47 |
| Trapp, H. W. | | |
| (and H.-J. Reiffen) Ein Beitrag zur Lipschitz-Saturation im unendlichdimensionalen Fall | 71 | 127-144 |
| Trione, S. E. | | |
| On some distributional multiplicative products | 77 | 207-217 |

| | Volume | Pages |
|--|--------|---------|
| Troyanski, S. L. (and D. N. Kutzarova) Reflexive Banach spaces without equivalent norms which are uniformly convex or uniformly differentiable in every direction. | 72 | 91-95 |
| Truong-Van, B. Applications of autoreproducing kernel moduli to the study on interpolability and minimality of a class of stationary Hilbertian varieties | 75 | 161-181 |
| Turpin, Ph. Représentation fonctionnelle des espaces vectoriels topologiques | 73 | 1-10 |
| Correction à "Représentation fonctionnelle des espaces vectoriels topologiques" Studia Math. 73 (1982), 1-10 | 79 | 103 |
| Urbanik, K. A characterization of Gaussian measures | 77 | 59-68 |
| Non-commutative probability limit theorems. | 78 | 61-75 |
| Generalized convolutions III. | 80 | 167-189 |
| Urbański, R. Modular spaces over a field with valuation generated by a (ω, ϑ) -convex modular. | 77 | 121-131 |
| Vogt, D. Charakterisierung der Unterräume eines nuklearen stabilen Potenzreihenraumes von endlichem Typ | 71 | 251-270 |
| (and R. Meise) Structure of spaces of holomorphic functions on infinite dimensional polydiscs. | 75 | 235-252 |
| Voigt, J. Factorization in some Fréchet algebras of differentiable functions | 77 | 333-348 |
| Waelbroeck, L. Holomorphic functional calculus and quotient Banach algebras | 75 | 273-286 |
| Quasi-Banach algebras, ideals, and holomorphic functional calculus | 75 | 287-292 |
| Walias-Cuadrado, M. Bounds for oscillatory integrals and L^2 -theory of the corresponding singular integrals | 79 | 35-50 |

| | Volume | Pages |
|--|--------|---------|
| Wallin, H. (and A. Jonsson and P. Sjögren) Hardy and Lipschitz spaces on subsets of \mathbb{R}^n | 80 | 141-166 |
| Weber, H. Die atomare Struktur topologischer Boolescher Ringe und s -beschränkter Inhalte | 74 | 57-81 |
| Wereński, S. On the fixed point index of non-compact mappings | 78 | 155-160 |
| Wilhelm, M. Integral extension procedures in weakly σ -complete lattice-ordered groups, I | 77 | 423-435 |
| Wilson, J. M. A simple proof of the atomic decomposition for $H^p(\mathbb{R}^n)$, $0 < p \leq 1$ | 74 | 25-33 |
| Wnuk, W. On the order-topological properties of the quotient space L/L_A | 79 | 139-149 |
| Wojtaszczyk, P. H_p -spaces, $p \leq 1$, and spline systems. | 77 | 289-320 |
| Wojtkowski, M. Geodesics on open surfaces containing horns | 73 | 115-151 |
| Wolniewicz, T. M. Inclusion operators in Bergman spaces on bounded symmetric domains in C^n | 78 | 329-337 |
| Woś, J. Random ergodic theorems for sub-Markovian operators | 74 | 191-212 |
| Yoshimoto, T. Pointwise ergodic theorems and function classes M_p^α | 72 | 253-271 |
| Inequalities for product operators and vector valued ergodic theorems | 73 | 95-114 |
| Yosida, K. A simple complement to Mikusiński's operational calculus | 77 | 95-98 |

| | Volume | Pages |
|--|--------|---------|
| Zachariades, T. (and S. Argyros and J. Bourgain) A result on the isomorphic embeddability of $l^1(\Gamma)$ | 78 | 77–91 |
| Zelazko, W. On domination and separation of ideals in commutative Banach algebras | 71 | 179–189 |
| On permanent radicals in commutative locally convex algebras | 75 | 265–272 |
| On non-removable ideals in commutative locally convex algebras | 77 | 133–154 |
| Zemánek, J. Geometric characteristics of semi-Fredholm operators and their asymptotic behaviour | 80 | 219–234 |
| Zemanian, A. H. (and P. Subramaniám) A theory for ungrounded electrical grids and its application to the geophysical exploration of layered strata | 77 | 163–181 |
| Ziegler, Z. (and A. Sharma) Walsh equiconvergence for best l_2 -approximates | 77 | 523–528 |
| Zo, F. (and E. Marchi) A generalization of the Yosida–Kakutani ergodic theorem | 71 | 107–111 |
| Zraïbi, A. (et B. Aupetit) Distribution des valeurs des fonctions analytiques multiformes | 79 | 217–226 |

Stefan Banach
OEUVRES

Volume II

TRAVAUX SUR L'ANALYSE FONCTIONNELLE

470 p., relié

Ce volume contient tous les travaux d'analyse fonctionnelle de Stefan Banach, ainsi que son fondamental traité "Théorie des opérations linéaires" et une bibliographie de ses écrits. Une ample étude de Aleksander Pełczyński présente une revue des recherches relatives aux parties de l'analyse fonctionnelle qui ont eu pour point de départ le traité de Banach et les résultats qui y sont exposés.

Juliusz Paweł Schauder
OEUVRES

487 p., relié

De 1918 à 1940 Juliusz Paweł Schauder appartenait aux remarquables représentants de l'école mathématique créée par Stefan Banach et Hugo Steinhaus. Son théorème sur le point fixe, les bases dans espaces vectoriels normés, introduites par lui, ainsi que les résultats précurseurs de ses recherches dans le domaine des équations différentielles partielles elliptiques et hyperboliques, composent un fond durable à l'analyse mathématique.

Ce volume contient tous les ouvrages de Schauder. Les résultats sont publiés en allemand, français et anglais.

Karol Borsuk
COLLECTED PAPERS

Parts I and II, xxv+1357 pp., cloth bound

The ideas of Karol Borsuk, the richness and depth of the problems that he posed, provided inspiration for research in Poland and in other countries for many years. The present selection of K. Borsuk's works, made by the author in 1980, comprises the most important of his papers. The papers are arranged in chronological order.

The book includes papers on the following topics: Cartesian and symmetric products; Extending of maps; Fixed and antipodal points; Functional spaces and their applications; Cohomotopy groups; Metric properties; Polyhedra; Spaces satisfying some special conditions; Theory of position; Theory of retracts; Theory of shape; and papers on topics of other kind.

To be ordered at your bookseller or directly at
ARS POLONA, Krakowskie Przedmieście 7, 00-068 Warszawa (Poland)